
# **UTAH - EXTENDED WEEKLY INFLUENZA SUMMARY**

MMWR Week 49 (12/04/05 - 12/10/05) - Posted 12/14/05

### **WEEKLY MAP OF UTAH INFLUENZA ACTIVITY**






#### Influenza-Associated Hospitalizations by Health District and County, and by Influenza Type - Utah 2005-2006 Week Ending: 12/10/2005 **Cumulative Cases** 09/03/2005 - Present (MMWR Week 49) Percent Type A Type B Percent **Total** Type A Type B Total **Health District** County Percent \*Unknown **Percent** \*Unknown **Cases Percent Percent** Cases 0.0 0.0 0 0 **Bear River** Box Elder 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Cache 0.0 0 0.0 Rich 0.0 0.0 0.0 0.0 0 Central Juab 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0 0.0 0.0 0.0 0 Millard 0.0 Piute 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 Sanpete 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Sevier 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Wayne Davis Davis 100.0 0.0 0.0 1 100.0 0.0 0.0 1 Salt Lake 100.0 0.0 0.0 8 100.0 0.0 0.0 10 Salt Lake Southeast Carbon 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 **Emery** Grand 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0 0.0 0.0 0 0.0 0.0 0.0 San Juan Southwest Beaver 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0 0.0 Garfield 0.0 0.0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Iron 100.0 Kane 0.0 0.0 1 100.0 0.0 0.0 1 Washington 100.0 0.0 0.0 1 100.0 0.0 0.0 3 0.0 0 0.0 0 Summit Summit 0.0 0.0 0.0 0.0 Tooele Tooele 0.0 0.0 0.0 0 0.0 0.0 0.0 0 **TriCounty** Daggett 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0 0.0 0 Duchesne 0.0 0.0 0.0 0.0 Uintah 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Utah Utah 100.0 100.0 0.0 0.0 0.0 0.0 1 1 0 0 Wasatch Wasatch 0.0 0.0 0.0 0.0 0.0 0.0 WeberMorgan Morgan 0.0 0.0 0.0 0 0.0 0.0 0.0 0 2 Weber 100.0 0.0 0.0 85.7 14.3 0.0 7 23 0.0 14 95.7 4.3 0.0 **State Total** 100.0 0.0


NOTE: Reported influenza cases are collected to detect onset of influenza epidemics,

but account for only a small proportion of all persons who become ill from influenza.

Total Influenza-Associated Hospitalizations by Age Group, 2005-2006							
A O	Number of	Percentage of	Rate Per 100,000				
Age Group	Hospitalizations	Cases by Age	Person-Years				
< 1 year	4	9.1%	3.89				
1-4 years	2	18.2%	2.01				
5-14 years	3	13.6%	0.72				
15-24 years	1	4.5%	0.24				
25-34 years	1	4.5%	0.23				
35-44 years	0	0.0%	0.00				
45-54 years	5	22.7%	1.74				
55-64 years	1	4.5%	0.53				
65-74 years	2	9.1%	1.78				
75-84 years	1	4.5%	1.36				
85+ years	1	9.1%	3.00				
All ages	21	100.0%	0.91				

<sup>\*</sup> Unknown tests do not differentiate between influenza A and influenza B








# Weekly Percentage of Visits to Utah Sentinel Providers that were Due to Influenza-Like Illness (ILI) by Age, Health District, and County - Utah 2005 - 2006

	County	Age-Specific ILI Percentage			All Ages ILI	# of Sites	
Health District		0 - 4	5 - 24	25 -64	65+	Percentage	Reporting
Bear River	Box Elder	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Cache	0.0%	0.0%	0.0%	0.0%	6.0%	1
	Rich	0.0%	0.0%	0.0%	0.0%	0.0%	0
Central	Juab	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Millard	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Piute	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Sanpete	29.5%	6.3%	0.0%	2.1%	7.0%	1
	Sevier	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Wayne	0.0%	0.0%	0.0%	0.0%	0.0%	0
Davis	Davis	0.6%	2.4%	2.0%	0.0%	1.6%	2
Salt Lake	Salt Lake					2.2%	9
Southeast	Carbon	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Emery	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Grand	0.0%	0.0%	0.0%	0.0%	0.0%	0
	San Juan	0.0%	0.0%	0.0%	0.0%	0.0%	0
Southwest	Beaver	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Garfield	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Iron	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Kane	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Washington	0.0%	0.0%	0.0%	0.0%	8.9%	1
Summit	Summit	0.0%	0.0%	0.0%	0.0%	0.0%	0
Tooele	Tooele	2.2%	6.0%	1.2%	0.0%	2.3%	1
TriCounty	Daggett	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Duchesne	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Uintah	0.0%	0.0%	0.0%	0.0%	0.0%	0
Utah	Utah	3.9%	3.6%	2.6%	2.0%	3.2%	4
Wasatch	Wasatch	0.0%	0.0%	0.0%	0.0%	0.0%	0
WeberMorgan	Morgan	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Weber	0.0%	0.0%	0.0%	0.0%	0.9%	2
Total		4.7%	4.3%	1.7%	1.3%	2.8%	21

Note: Some counties have not yet or do not report age-specific ILI percentages information. Age-specific data will be posted when available.







School Absenteeism Rates by County and Type of Absence Week Ending 12/10/05 (MMWR Week 49)							
Health District	County	All Absences Rate (absences/100 student-days)	Sick Absences Rate (absences/100 student-days)	ILI Absences Rate (absences/100 student-days)	# of Schools Reporting		
Bear River	Box Elder	0.0	0.0	0.0	0		
	Cache	0.0	0.0	0.0	0		
	Rich	0.0	0.0	0.0	0		
Central	Juab	0.0	0.0	0.0	0		
	Millard	0.0	0.0	0.0	0		
	Piute	0.0	0.0	0.0	0		
	Sanpete	6.9	3.5	0.9	3		
	Sevier	0.0	0.0	0.0	0		
	Wayne	0.0	0.0	0.0	0		
Davis	Davis	5.0	0.0	0.9	4		
Salt Lake	Salt Lake	4.5	0.0	0.0	6		
Southeast	Carbon	0.0	0.0	0.0	0		
	Emery	0.0	0.0	0.0	0		
	Grand	0.0	0.0	0.0	0		
	San Juan	0.0	0.0	0.0	0		
Southwest	Beaver	0.0	0.0	0.0	0		
	Garfield	0.0	0.0	0.0	0		
	Iron	0.0	0.0	0.0	0		
	Kane	0.0	0.0	0.0	0		
	Washington	0.0	0.0	0.0	0		
Summit	Summit	0.0	0.0	0.0	0		
Tooele	Tooele	0.0	0.0	0.0	0		
TriCounty	Daggett	0.0	0.0	0.0	0		
	Duchesne	0.0	0.0	0.0	0		
	Uintah	0.0	0.0	0.0	0		
Utah	Utah	1.6	0.0	0.3	2		
Wasatch	Wasatch	0.0	0.0	0.0	0		
WeberMorgan	Morgan	0.0	0.0	0.0	0		
	Weber	3.9	1.2	0.1	1		
Total		4.4	2.4	0.5	16		

### **UTAH - WEEKLY INFLUENZA TEXT SUMMARY**

#### Influenza Activity in Utah:


Since September 2005, 23 hospital-associated influenza cases (laboratory-identified) have been reported in Utah. Of the 23, 22 were type A and one was type B influenza.

In addition to collecting reports of influenza cases, public health also collects data on community influenza-like illness and student absenteeism. This helps to monitor the onset and severity of the influenza season.

INFLUENZA PREVENTION

As of 12/14/2005, no pediatric influenza-associated deaths have occurred (in persons under the age of 18 years).

Utah is currently experiencing "Local" influenza activity. Click on the map to see what





#### ... to wastoot vormoolf and others.

## How to protect yourself and others:

- 1. Utahns should get an influenza vaccine.
- \*\*Contact your provider or the Immunization Hotline (1-800-275-0659) to locate an influenza shot.
- 2. All Utahns should practice "respiratory etiquette" to reduce the spread of respiratory diseases.
- \*\* Stay away from other people when you are sick.
- \*\* Cover your mouth and nose with a disposable tissue when you cough or sneeze. Throw the tissue away.
- \*\* Wash your hands.
- 3. We urge schools and employers to be supportive of these preventive measures.